



How To Order BVIQ Dual 3-Way Station Options

BIQ314A - X X X - X X - X XX - P B D X

Solenoid Options




How To Order BVIQ Dual 4-Way Station Options




How To Order BVIQ End Plate

M - BIQ01 - X - X - X




How To Order BVIQ Washdown Adapter

M - BIQ02 - XX - X - X - X




How To Order BVIQ Non-Washdown Adapter

M - BIQ03 - XX - X - X - X




How To Order BVIQ 3-Way Valve Only Options


BV314A - X X X - X X - X XX - P B D X




How To Order BVIQ 4-Way Valve Only Options

BV414A - X X X - X X - X XX - P B D X







SHOWN WITH VALVE (A) & BLANK PLUG (B),
BOTTOM PORTS & RECESSED WITH LEVER
NON-LOCKING (#5) MANUAL OPERATOR
(SEE BELOW FOR ADDITIONAL OPTIONS)






RECESSED (#1)
(NON-LOCKING)




EXTENDED (#3)
(NON-LOCKING)




NONE (#0)




N.C. (A END)
N.C. (B END)



N.O. (A END)
N.O. (B END)



N.C. (A END)
N.O. (B END)



ISOLATION

- MANIFOLD TYPE :
- 1 : N.C. (A) & N.C. (B)
 - 2 : N.O. (A) & N.O. (B)
 - 3 : N.C. (A) & N.O. (B)
 - 5 : N.C. (A) & N.C. (B) WITH ISOLATION
 - 6 : N.O. (A) & N.O. (B) WITH ISOLATION
 - 7 : N.C. (A) & N.O. (B) WITH ISOLATION

- MANIFOLD CONFIGURATION :
- 1 : VALVES (A & B)
 - 2 : VALVE (A) & BLANK PLUG (B)
 - 3 : BLANK PLUG (A) & VALVE (B)
 - * 4 : BLANK PLUGS (A & B)

BiQ314A-X X X-H X-BCX-PBDZ

COIL


CIRCUIT BOARD
(IN VALVE)

PLUG-IN


BASE TYPE & CONFIGURATION :
PLUG-IN WITH WIRES
C : SIDE PORTS
D : BOTTOM PORTS
PLUG-IN WITH PCB
1 : SIDE PORTS
2 : BOTTOM PORTS

PORT SIZE :
H : 1/4" OD TUBE FITTING


MANUAL OPERATOR :
0 : NO OPERATOR (NONE)
1 : RECESSED (NON-LOCKING)
3 : EXTENDED (NON-LOCKING)
5 : RECESSED WITH LEVER
(NON-LOCKING)




SHOWN WITH
N.C. & N.C.
(A & B ENDS)




SHOWN WITH VALVE (A), BLANK PLUG (B),
BOTTOM PORTS & RECESSED WITH LEVER
NON-LOCKING (#5) MANUAL OPERATOR
(SEE BELOW FOR ADDITIONAL OPTIONS)







RECESSED (#1)
(NON-LOCKING)



EXTENDED (#3)
(NON-LOCKING)



NON (#0)



ISOLATION

MANIFOLD TYPE :
4 : STANDARD
8 : WITH ISOLATION

MANIFOLD CONFIGURATION :
1 : VALVES (A & B)
2 : VALVE (A) & BLANK PLUG (B)
3 : BLANK PLUG (A) & VALVE (B)
★ 4 : BLANK PLUGS (A & B)

BiQ414A-X X X-H X-BCX-PBDZ

COIL


CIRCUIT BOARD
(IN VALVE)











PLUG-IN

BASE TYPE & CONFIGURATION :
PLUG-IN WITH WIRES
C : SIDE PORTS
D : BOTTOM PORTS
PLUG-IN WITH PCB
1 : SIDE PORTS
2 : BOTTOM PORTS

PORT SIZE :
H : 1/4" OD TUBE FITTING

MANUAL OPERATOR :
0 : NO OPERATOR (NONE)
1 : RECESSED (NON-LOCKING)
3 : EXTENDED (NON-LOCKING)
5 : RECESSED WITH LEVER
(NON-LOCKING)





M - BiQ01 - V - Y - Z

PORT SIZE :
1 : M12 OD TUBE FITTING

PORT LOCATION :
1 : SIDE
2 : BOTTOM

PORT TYPE :
F : TUBE FITTING

M - BiQ02 - XX - V - Y - Z

- CONNECTORS :
- 00 : NONE (CONDUIT)
 - 09 : 9 PIN (SUB-D)
 - 15 : 15 PIN (SUB-D)
 - 24 : 24 PIN CPC
 - 25 : 25 PIN (SUB-D)
 - 26 : 26 PIN (CIRCULAR)
 - 37 : 37 PIN CPC
 - 67: MIO-67 ADAPTER

PORT TYPE :
F : TUBE FITTING

- PORT SIZE :
- 1 : M12 OD TUBE FITTING

PORT LOCATION :
1 : SIDE
2 : BOTTOM


MULTI-PIN
(9, 15 & 25 PIN SUB-D AVAILABLE)
(SHOWN WITH 25 PIN SUB-D)

26 PIN
CIRCULAR

24 / 37 PIN CPC
(SHOWN WITH 24 PIN)

MIO-67

CONDUIT



M - BiQ03 - XX - V - Y - Z

CONNECTORS :

09 : 9 PIN (SUB-D)
15 : 15 PIN (SUB-D)
25 : 25 PIN (SUB-D)

PORT SIZE :


1 : M12 OD TUBE FITTING






PORT TYPE :

F : TUBE FITTING

PORT LOCATION :

1 : SIDE
2 : BOTTOM





SCALE FULL		MAC VALVES, INC.	
DRAWN PRS		WIXOM, MICHIGAN	
DATE 05/10/19	PART NAME	BVIQ SERIES	
		PART NUMBER	
- STANDARD DIMENSIONS ARE IN MILLIMETERS. - DIMENSIONS SHOWN AS APPROX. NOMINAL WITHOUT TOLERANCES.		4 STATION BVIQ ASSEMBLY	
CONFIDENTIAL This document is the property of MAC Valves. The contents of this document are confidential and constitute trade secrets proprietary to MAC Valves. Neither this document nor its contents may be disclosed to or used by any unauthorized person, copied, or published without MAC Valves' prior written consent. Copyright © MAC Valves, Inc. All rights reserved.			